



**PRODUCT NUMBER: 2000042**  
**GREEN WELDING PLUS**

MIG and ARC welding and heavy handling.

**Honeywell**

## Overview

**Reference Number**

2000042

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Heat

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Building and Construction
- Iron and steel industry
- Metal steel
- Ship Building
- Welding

**Product Use**

MIG and ARC welding and heavy handling.

## Features & Benefits

**Feature**

Split leather glove with reinforced palm

Gunn cut, sewn-on thumb, hand fully lined with a heat resistant complex

Cuff lined with twill

Yoke around the fingers, thumb, 2nd/3rd finger join, ring finger side and between the cuff and the palm. Kevlar thread stitching

Cuff of 140 mm

**Benefit**

COMFORT

The hide leather is ideal for welders' gloves.

The US assembly, winged thumb and flexible materials used make this glove anatomical, thus providing excellent comfort for use.

**RESISTANCE**

Split leather treated against the heat for excellent resistance to contact and radiant heat.  
 The lining with its complex insulating material, increases the glove's thermal insulation.  
 The reinforced palm and thumb in split leather increases the glove's durability.  
 The Kevlar® thread assembly ensures sturdy seams with respect to the heat and wear as well as better thermal insulation.

**HYGIENE**

The split leather cuff protects a large part of the forearm against mechanical hazards.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-03 EEC Basic standards  
 EN 388-16 Physical Hazards  
 EN 407-04 Heat hazards  
 EN 12 477-2000 Protection for Welders type A

**CHARACTERISTICS :**

Split leather glove with reinforced palm  
 Gunn cut, sewn-on thumb, hand fully lined with a heat resistant complex  
 Cuff lined with twill  
 Yoke around the fingers, thumb, 2nd/3rd finger joint, ring finger side and between the cuff and the palm. Kevlar thread stitching  
 Cuff of 140 mm

**Product Technology**

Cut and Sewn

**Coating Type**

Leather

**Length**

34 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 2

**Sizes**

8 to 10

**EN 407 - Heat and/or Fire**

Behaviour and/or fire	4
Resistance to contact heat	1
Resistance to convective heat	3
Resistance to radiant heat	X
Resistance to small metal splashes	4
Resistance to molten metal splashes	X

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	3
Cutting resistance (Coupe test)	1

Tear resistance	3
Puncture resistance	3
Cutting resistance (TDM test)	X

## EN 12477

Protective gloves for welders	Type A
-------------------------------	--------

## Certifications

### EU Category PPE

2

### Quality Assurance

ISO 9001 / 2000

### EU Certification

0075/797/162/04/19/1254

## Additional Information

### User Manual

UI 111

### User Information Sheet

111

## Maintenance

### Storage Information

The carton contains 5 bundles of 10 pairs So 50 pairs.

### Care Instructions

In order to keep its properties, this article should not be cleaned.